



COMMERCIAL DIVING BOARDS + STANDS

Pool **Better**[™]

COMMERCIAL Boards + Stands

CONTENTS

Overview 2
Boards 3
Stands 4

85+ YEARS OF DIVING EXPERIENCE

Quality and safety are the hallmarks of S.R.Smith diving boards and stands. We've built our reputation on our ability to meet a wide range of facility needs with products that are affordable and durable enough to withstand the test of time.

REPLACEMENT BOARDS

*All diving boards have a 250 lb weight limit, except for the Frontier IV, which has a 400 lb weight limit.



Swim Club—Includes flow-coat, smooth backside, fiberglass wrapped core with non-slip sanded tread



Eureka—Fiberglass wrapped core with flow-coat, smooth backside, fiberglass wrapped core with non-slip sanded tread



Olympian—Sturdy, aluminum construction, powder-coated with non-slip tread



Frontier III Commercial—Fiberglass reinforced core, acrylic shell with flexible outer edge, matte backside, non-slip sanded tread




Frontier IV—Fiberglass reinforced core, acrylic shell with flexible outer edge, matte backside, non-slip sanded tread

Stands	Compatible Diving Boards
2/3 Meter	Frontier III Commercial, Swim Club, Olympian
Econoline 1 Meter	Eureka, Frontier III Commercial, Swim Club, Olympian
Deluxe 1 & 3 Meter	Eureka, Frontier III Commercial, Swim Club, Olympian
Steel Meter	Frontier III Commercial, Swim Club, Olympian, Frontier IV*
U-Frame	Frontier III Commercial, Olympian, Frontier IV*

*Frontier IV boards require a special steel meter or U-Frame stand, call customer service for assistance.

FULCRUM SETTINGS FOR DIVING BOARDS

A Board	6'	8'	10'	12'	14'	16'
B Fulcrum	30"	40"	52"	62"	74"	86"
C Tolerance	±3"	±4"	±5"	±6"	±6"	±6"



Diving Boards must be installed with rubber fulcrum pads. Fulcrum settings beyond the stated tolerance void the warranty. Diving boards must be installed level across fulcrum and heel supports. Rubber mounting pads (washers) must be installed. Tightening Schedule can be found in the product's instruction manual.

Commercial Board Part Numbers

All part numbers shown are for a diving board with a white tread, unless noted.

TO ORDER A DIVING BOARD WITH A MATCHING TREAD, ADD A "T" AT THE END OF THE PART NUMBER.



EUREKA BOARDS (2-HOLE) | 250 LB WEIGHT LIMIT

Part #	Board Size	Color	Weight	Shipping (Class 70)		
				Length	Width	Height
66-209-2442-1	14'	Radiant White	205 lbs 93kg	170" 432cm	20" 51cm	3" 8cm
66-209-2443-1	14'	Marine Blue	205 lbs 93kg	170" 432cm	20" 51cm	3" 8cm
66-209-2462-1	16'	Radiant White	235 lbs 106kg	194" 493cm	20" 51cm	3" 8cm
66-209-2463-1	16'	Marine Blue	235 lbs 106kg	194" 493cm	20" 51cm	3" 8cm



FRONTIER III (2-HOLE) | 250 LB WEIGHT LIMIT

Part #	Board Size	Color	Weight	Shipping (Class 70)		
				Length	Width	Height
66-209-610S2	10'	Radiant White	88 lbs 40kg	122" 310cm	20" 51cm	3" 8cm
66-209-610S3	10'	Marine Blue	88 lbs 40kg	122" 310cm	20" 51cm	3" 8cm
66-209-610S20	10'	Gray	88 lbs 40kg	122" 310cm	20" 51cm	3" 8cm
66-209-610S21	10'	Silver Gray	88 lbs 40kg	122" 310cm	20" 51cm	3" 8cm
66-209-6122	12'	Radiant White	110 lbs 50kg	146" 371cm	20" 51cm	3" 8cm
66-209-6123	12'	Marine Blue	110 lbs 50kg	146" 371cm	20" 51cm	3" 8cm
66-209-6142	14'	Radiant White	190 lbs 86kg	170" 432cm	20" 51cm	3" 8cm
66-209-6143	14'	Marine Blue	190 lbs 86kg	170" 432cm	20" 51cm	3" 8cm
66-209-6162	16'	Radiant White	230 lbs 104kg	194" 493cm	20" 51cm	3" 8cm
66-209-6163	16'	Marine Blue	230 lbs 104kg	194" 493cm	20" 51cm	3" 8cm



FRONTIER IV (2-HOLE) | 400 LB WEIGHT LIMIT

Part #	Board Size	Color	Weight	Shipping (Class 70)		
				Length	Width	Height
66-209-7082	8'	Radiant White	83 lbs 38kg	98" 249cm	20" 51cm	3" 8cm

* Frontier IV Board requires special stand see page 4 for additional info



OLYMPIAN ALUMINUM (2-HOLE) | 250 LB WEIGHT LIMIT

Part #	Board Size	Color	Weight	Shipping (Class 70)		
				Length	Width	Height
66-209-3102	10'	Radiant White	78 lbs 35kg	122" 310cm	20" 51cm	3" 8cm
66-209-3103	10'	Marine Blue	78 lbs 35kg	122" 310cm	20" 51cm	3" 8cm
66-209-3122	12'	Radiant White	98 lbs 44kg	146" 371cm	20" 51cm	3" 8cm
66-209-3123	12'	Marine Blue	98 lbs 44kg	146" 371cm	20" 51cm	3" 8cm
66-209-3142	14'	Radiant White	190 lbs 86kg	170" 432cm	20" 51cm	3" 8cm
66-209-3143	14'	Marine Blue	190 lbs 86kg	170" 432cm	20" 51cm	3" 8cm
66-209-3162	16'	Radiant White	206 lbs 93kg	194" 493cm	20" 51cm	3" 8cm
66-209-3163	16'	Marine Blue	206 lbs 93kg	194" 493cm	20" 51cm	3" 8cm



SWIM CLUB (2-HOLE) | 250 LB WEIGHT LIMIT

Part #	Board Size	Color	Weight	Shipping (Class 70)		
				Length	Width	Height
66-209-220S2-1	10'	Radiant White	100 lbs 45kg	122" 310cm	20" 51cm	3" 8cm
66-209-220S3-1	10'	Marine Blue	100 lbs 45kg	122" 310cm	20" 51cm	3" 8cm
66-209-2222-1	12'	Radiant White	125 lbs 57kg	146" 371cm	20" 51cm	3" 8cm
66-209-2223-1	12'	Marine Blue	125 lbs 57kg	146" 371cm	20" 51cm	3" 8cm
66-209-2242-1	14'	Radiant White	200 lbs 90kg	170" 432cm	20" 51cm	3" 8cm
66-209-2243-1	14'	Marine Blue	200 lbs 91kg	170" 432cm	20" 51cm	3" 8cm
66-209-2262-1	16'	Radiant White	230 lbs 104kg	194" 493cm	20" 51cm	3" 8cm
66-209-2263-1	16'	Marine Blue	230 lbs 104kg	194" 493cm	20" 51cm	3" 8cm

MOUNTING KITS

- 67-209-913-SS Frontier IV Board
- 67-209-903-SS18" Commercial Board, 10' and 12'
- 67-209-904-SS20" Commercial Board, 14' and 16'

NOTE: If replacing a board you must replace the fulcrum pad. Failure to do so will void warranty.

Steel Meter Stand



Steel Meter stands are ideal for users that want the best stand money can buy.

- Powder-coated galvanized steel for increased corrosion resistance
- 8', 10' or 12' lengths
- Stand comes in white, with your choice of board color
- Stainless steel hardware for added corrosion resistance
- Stand comes in 1/2, 3/4, or 1 meter heights*

* 1 meter heights require handrails - order separately

STEEL METER STANDS

Stand Part #	Board Size	Stand	Weight	Shipping (Class 70)		
				Length	Width	Height
70-209-500*	8'	1/2 Meter	118 lbs 54kg	45" 114cm	17" 43cm	14" 36cm
70-209-501	8'	1/2 Meter	118 lbs 54kg	45" 114cm	17" 43cm	14" 36cm
70-209-502	10'	1/2 Meter	137 lbs 62kg	58" 147cm	18" 46cm	14" 36cm
70-209-510	10'	3/4 Meter	173 lbs 78kg	58" 147cm	23" 58cm	18" 46cm
70-209-512	12'	3/4 Meter	197 lbs 89kg	67" 170cm	23" 58cm	18" 46cm
70-209-520	10'	1 Meter	203 lbs 93kg	57" 145cm	31" 79cm	18" 46cm
70-209-522	12'	1 Meter	225 lbs 102kg	67" 170cm	31" 79cm	18" 46cm

*Designed specifically to be used with Frontier IV board (holes drilled on 11")

Stand Color



Due to the variance in printing technology, actual color may differ.

All installations must comply with all applicable local and national codes and installation must be completed in accordance with S.R.Smith installation instructions.

Compatible with:




Frontier III (10')



Frontier III Commercial (10' and 12')



Frontier IV Commercial (8')



Swim Club (10' and 12')



Olympian (10' and 12')

See page 3 for diving board part numbers.

STEEL METER STAND WITH 8' FRONTIER IV BOARD**

A special Steel Meter Stand was designed to pair specifically with our 8' Frontier IV board (400 lb weight limit). This combination is a great choice for pools with heavy diving traffic and more athletic pool users.

Stand Part #	Description	2 Boxes - Shipping (Class 70)			
		Weight	Length	Width	Height
68-209-2582	1/2 Meter Stand with 8' White Frontier IV Board	118 lbs 54kg	98" 249cm	20" 51cm	3" 8cm
		83 lbs 38kg	45" 114cm	17" 43cm	14" 36cm

**The Frontier IV board has 11" bolt centers and requires a special Steel Meter Stand that only works with this board

HANDRAILS

Stand Part #	Description	Weight	Shipping (Class 70)		
			Length	Width	Height
71-209-550	Handrail for 8' Board	44 lbs 20kg	36" 91cm	64" 162cm	6" 15cm
71-209-551	Handrail for 10' Board	46 lbs 21kg	36" 91cm	78" 198cm	6" 15cm
71-209-552	Handrail for 12' Board	48 lbs 22kg	36" 91cm	88" 224cm	6" 15cm

Deluxe 1 & 3 Meter Towers



CAT-3M-203R
Right Mount



- Made of carbon steel, stands are galvanized and primed prior to the application of high-quality acrylic urethane enamel paint
- Available in 1 or 3 meter heights with either a dual, heel, left or right mount ladder
- Pair with 14' or 16' diving boards
- Handrails are included and are made of 1.90" OD, .065" wall stainless steel
- Comes standard with a quick adjustable fulcrum (QAF-100) and stainless steel handrails
- T-bar hinge allows board to pivot up

Stand Part #	Description	Weight	Shipping (Class 125)		
			Length	Width	Height
CAT-1M-203D	Meter Tower Dual Mount	1000 lbs 454kg	132" 335cm	40" 102cm	48" 122cm
CAT-1M-203H	1 Meter Tower Heel Mount	1000 lbs 454kg	132" 335cm	40" 102cm	48" 122cm
CAT-1M-203HA	1 Meter Tower Heel Mount w/ alternate jig	1000 lbs 454kg	132" 335cm	40" 102cm	48" 122cm
CAT-1M-203L	1 Meter Tower Left Mount	900 lbs 408kg	132" 335cm	40" 102cm	48" 122cm
CAT-1M-203R	1 Meter Tower Right Mount	900 lbs 408kg	132" 335cm	40" 102cm	48" 122cm
CAT-3M-203D	3 Meter Tower Dual Mount	1400 lbs 635kg	132" 335cm	40" 102cm	48" 122cm
CAT-3M-203H	3 Meter Tower Heel Mount	1250 lbs 567kg	132" 335cm	40" 102cm	48" 122cm
CAT-3M-203HA	3 Meter Tower Heel Mount w/ alternate jig	1250 lbs 567kg	132" 335cm	40" 102cm	48" 122cm
CAT-3M-203L	3 Meter Tower Left Mount	1175 lbs 533kg	132" 335cm	40" 102cm	48" 122cm
CAT-3M-203R	3 Meter Tower Right Mount	1175 lbs 533kg	132" 335cm	40" 102cm	48" 122cm


Compatible with:



Frontier III Commercial (14' + 16')



Swim Club (14' + 16')



Eureka (14' + 16')



Olympian (14' + 16')

See page 3 for diving board part numbers.

- To order a tower without jig add -A to the end of the part number
- Ships from Oregon facility only
- Boards sold separately

All installations must comply with all applicable local and national codes and installation must be completed in accordance with S.R.Smith installation instructions.

PARTS & HARDWARE

- QAF-100 Quick Adjustable Fulcrum
- 12-102 Tie Down Assembly (for 1 & 3 M)
- 12-108 Front Post Anchor Jig
- 6-114 Treads
- 13-105 Ladder Anchor Jig
- 13-106 Heel Post Anchor Jig
- 12-111H Heel Mount Tray Hardware Assembly

PRE-ORDER ANCHORS FOR NEW CONSTRUCTION

Tower Syle	Anchor Jigs Needed
Heel Mount	12-108 & 13-105
Side Mount (Left or Right)	12-108, 13-105 & 13-106
Dual Mount	12-108 & Two 13-105

Econoline™ 1 Meter Stand



A durable, all-purpose diving tower for commercial aquatic facilities.

- Made of carbon steel, stands are galvanized and primed prior to the application of high-quality acrylic urethane enamel paint
- Pair with 12' or 14' diving boards
- Platform tray has two 6" slots for proper fulcrum placement and adjustment
- 1.90" OD, .065" wall stainless steel handrails are not included but are required

Stand Part #	Board Size	2 Boxes - Shipping (Class 175)			
		Weight	Length	Width	Height
E-CAT-1M-100	12' 3.66m	315 lbs	86"	21"	59"
		143kg	218cm	53cm	150cm
E-CAT-1M-101	14' 4.27m	365 lbs	92"	21"	59"
		166kg	234cm	53cm	150cm
			27"	4"	4"
			68cm	10cm	10cm

- Diving Boards and Towers are sold separately
- Not recommended for salt pools
- Ships on a pallet

All installations must comply with all applicable local and national codes and installation must be completed in accordance with S.R.Smith installation instructions.

Compatible with:



Frontier III Commercial (12' + 14')



Swim Club (12' + 14')



Eureka (14')



Olympian (12' + 14')

See page 3 for diving board part numbers.

HANDRAILS (ORDER SEPARATELY)

Stand Part #	Board Size	Weight	Shipping (Class 175)		
			Length	Width	Height
25-106	Handrails & Hardware	48 lbs 22kg	68"	35"	2"
25-106A	Handrails Only	48 lbs 22kg	68"	35"	2"

2/3-Meter Deck Level Stand



This versatile, mid-sized tower is a great choice for an aquatic facility that is limited on space.

- Made of carbon steel, stands are galvanized and primed prior to the application of high-quality acrylic urethane enamel paint
- Pair with a 10' or 12' board
- Platform tray has two sets of 6" slots for proper fulcrum placement and adjustment
- Handrails are not included, but are strongly recommended and are made of 1.90" OD, .065" wall stainless steel

Stand Part #	Board Size	2 Boxes - Shipping (Class 175)			
		Weight	Length	Width	Height
DLS-100	10' 3m	130 lbs	63"	36"	18"
		59kg	160cm	91cm	46cm
DLS-101	10' or 12' 3m or 3.7m	140 lbs	63"	36"	18"
		64kg	160cm	91cm	46cm

- Diving Boards and Stands are sold separately
- Not recommended for salt pools
- Ships on a pallet

All installations must comply with all applicable local and national codes and installation must be completed in accordance with S.R.Smith installation instructions.

HANDRAILS (ORDER SEPARATELY)

Stand Part #	Board Size	Weight	Shipping (Class 175)		
			Length	Width	Height
25-104	DLS-100 Handrails & Hardware	40 lbs 18kg	56"	36"	18"
25-106	DLS-101 Handrails & Hardware	48 lbs 22kg	68"	35"	2"
25-104A	Handrails Only	32 lbs 14kg	56"	36"	18"
25-106A	Handrails Only	40 lbs 18kg	68"	35"	2"

Compatible with:



Frontier III Commercial (12' + 14')



Swim Club (12' + 14')



Olympian (12' + 14')

See page 3 for diving board part numbers.



Pool Better™



800.824.4387
srsmith.com

No part of this may be copied or reproduced without the expressed written consent of S.R.Smith, LLC

©Copyright 2021 S.R.Smith, LLC. All rights reserved. | M-E-BRO-202 5M 0821